










Stainless Steel

INDEX

| | |
|--|---|
| Threaded Stainless Steel Fittings Raccords En Acier Inoxydables Filetes Type 304, 150 Lbs. / Genre 304, 150 Lbs..... | 2 |
| Threaded Stainless Steel Fittings Raccords En Acier Inoxydables Filetes Type 316, 150 Lbs. / Genre 316, 150 Lbs..... | 3 |
| 150 Lb. M.S.S. Flanges Type 304 Stainless Steel | 4 |
| 150 Lb. M.S.S. Flanges Type 316 Stainless Steel | 4 |
| Threaded Stainless Steel Nipples Mamelons En Acier Inoxydables Filetes Type 304, 150 Lbs. / Genre 304, 150 Lbs..... | 5 |
| Threaded Stainless Steel Nipples Mamelons En Acier Inoxydables Filetes Type 316, 150 Lbs. / Genre 316, 150 Lbs..... | 6 |
| Nipple Weight Chart For 304-40 and 316-40 Stainless Steel Nipples | 7 |

Threaded Stainless Steel Fittings
Type 304, 150 Lbs.









Raccords En Acier Inoxydables Filetes
Genre 304, 150 Lbs.

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| 90° Elbow | 90° Reducing ELL | 45° Elbow | 90° Street ELL | Tee | Reducing Tee | Cross | Straight Coupling | Half Coupling |
| Part Number | 02 | 04 | 06 | 08 | 12 | 16 | 20 | 24 |
| 4S | 1/8" | 1/4" | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" |
| 235 | 90° Elbows - Coudes 90° | | | | | | | |
| 235 | Reducing - Reducteurs | | | | | | | |
| 254 | Street - M x F | | | | | | | |
| 290 | 45° Elbows - Coudes 45° | | | | | | | |
| 460 | Tees - Tes | | | | | | | |
| 460 | Reducing Tees - Tes Reducteurs | | | | | | | |
| 195 | Crosses - Croix | | | | | | | |
| 155 | Caps - Capuchons | | | | | | | |
| 165 | Couplings - Manchons | | | | | | | |
| 165 | Reducing Couplings - Manchons Reducteurs | | | | | | | |
| 166 | Half Couplings - Demi Manchon | | | | | | | |
| 657 | Unions - Raccords | | | | | | | |
| 396 | Plugs Square Head - Bouchons Tête Carrée | | | | | | | |
| 398 | Plugs Hex Head - Tête Hex | | | | | | | |
| 375 | Locknuts - Contre Ecrous | | | | | | | |
| 144 | Hexagon Bushings - Reducteurs | | | | | | | |
| 445 | Welding Spud | | | | | | | |

PRICES ON APPLICATION

Threaded Stainless Steel Fittings
Type 304, 150 Lbs.










Raccords En Acier Inoxydables Filetes
Genre 304, 150 Lbs.

| | | | | | | | |
|---|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |  |
| Reducing Coupling | Hex Bushing | Cap | Sq. Head Plug | Hex Head Plug | Locknut | Union | Welding Spud |
| Part Number | 32 | 40 | 48 | 64 | 80 | 96 | |
| 4S | 2" | 2 1/2" | 3" | 4" | 5" | 6" | |
| 235 | 90° Elbows - Coudes 90° | | | | | | |
| 254 | Street - M x F | | | | | | |
| 290 | 45° Elbows - Coudes 45° | | | | | | |
| 460 | Tees - Tes | | | | | | |
| 195 | Crosses - Croix | | | | | | |
| 155 | Caps - Capuchons | | | | | | |
| 165 | Couplings - Manchons | | | | | | |
| 165 | Reducing Couplings - Manchons Reducteurs | | | | | | |
| 166 | Half Couplings - Demi Manchons | | | | | | |
| 657 | Unions - Raccords | | | | | | |
| 396 | Plugs Square Head - Bouchons Tête Carrée | | | | | | |
| 398 | Plugs Hex Head - Tête Hex | | | | | | |
| 375 | Locknuts - Contre Ecrous | | | | | | |
| 144 | Hexagon Bushings - Reducteurs | | | | | | |
| 445 | Welding Spud | | | | | | |

PRICES ON APPLICATION

Threaded Stainless Steel Fittings
Type 316, 150 Lbs.









Raccords En Acier Inoxydables Filetes
Genre 316, 150 Lbs.

| | | | | | | | | |
|---|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |  |
| 90° Elbow | 90° Reducing ELL | 45° Elbow | 90° Street ELL | Tee | Reducing Tee | Cross | Straight Coupling | Half Coupling |
| Part Number | 02 | 04 | 06 | 08 | 12 | 16 | 20 | 24 |
| 6S | 1/8" | 1/4" | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" |
| 235 | 90° Elbows - Coudes 90° | | | | | | | |
| 235 | 90° Reducing - Reducteurs | | | | | | | |
| 254 | Street - M x F | | | | | | | |
| 290 | 45° Elbows - Coudes 45° | | | | | | | |
| 460 | Tees - Tes | | | | | | | |
| 460 | Reducing Tees - Tes Reducteurs | | | | | | | |
| 195 | Crosses - Croix | | | | | | | |
| 155 | Caps - Capuchons | | | | | | | |
| 165 | Couplings - Manchons | | | | | | | |
| 165 | Reducing Couplings - Manchons Reducteurs | | | | | | | |
| 166 | Half Couplings - Demi Manchons | | | | | | | |
| 657 | Unions - Raccords | | | | | | | |
| 396 | Plugs Square Head - Bouchons Tête Carrée | | | | | | | |
| 398 | Plugs Hex Head - Tête Hex | | | | | | | |
| 375 | Locknuts - Contre Ecrous | | | | | | | |
| 144 | Hexagon Bushings - Reducteurs | | | | | | | |
| 445 | Welding Spud | | | | | | | |

PRICES ON APPLICATION

Threaded Stainless Steel Fittings
Type 316, 150 Lbs.

Raccords En Acier Inoxydables Filetes
Genre 316, 150 Lbs.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| Reducing Coupling | Hex Bushing | Cap | Sq. Head Plug | Hex Head Plug | Locknut | Union | Welding Spud |
| Part Number | 32 | 40 | 48 | 64 | 80 | 96 | |
| 6S | 2" | 2 1/2" | 3" | 4" | 5" | 6" | |
| 235 | 90° Elbows - Coudes 90° | | | | | | |
| 254 | Street - M x F | | | | | | |
| 290 | 45° Elbows - Coudes 45° | | | | | | |
| 460 | Tees - Tes | | | | | | |
| 195 | Crosses - Croix | | | | | | |
| 155 | Caps - Capuchons | | | | | | |
| 165 | Couplings - Manchons | | | | | | |
| 165 | Reducing Couplings - Manchons Reducteurs | | | | | | |
| 166 | Half Couplings - Demi Manchons | | | | | | |
| 657 | Unions - Raccords | | | | | | |
| 396 | Plugs Square Head - Bouchons Tête Carrée | | | | | | |
| 398 | Plugs Hex Head - Tête Hex | | | | | | |
| 375 | Locknuts - Contre Ecrous | | | | | | |
| 144 | Hexagon Bushings - Reducteurs | | | | | | |
| 445 | Welding Spud | | | | | | |

PRICES ON APPLICATION

150 Lb. M.S.S. Flanges
Type 304 Stainless Steel

| | | | | | | |
|------------------------------|--------------|-----------------|-----------|-----------|-----------|-----------|
| | | | | | | |
| | Threaded | Reducing Flange | Blind | Slip-On | Weld Neck | Lap Joint |
| Part Number | 08 | 12 | 16 | 20 | 24 | 32 |
| 4S | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" |
| 435 | Threaded | | | | | |
| | Reducing | | | | | |
| 436 | Blind | | | | | |
| 450 | Slip-On | | | | | |
| 451 | Welding Neck | | | | | |
| 452 | Lap Joint | | | | | |
| PRICES ON APPLICATION | | | | | | |

150 Lb. M.S.S. Flanges
Type 304 Stainless Steel

| | | | | | | |
|------------------------------|--------------|-----------|-----------|-----------|--------------|-----------|
| | | | | | | |
| | Threaded | Reducing | Blind | Slip-On | Welding Neck | |
| Part Number | 40 | 48 | 64 | 80 | 96 | 97 |
| 4S | 2 1/2" | 3" | 4" | 5" | 6" | 8" |
| 435 | Threaded | | | | | |
| | Reducing | | | | | |
| 436 | Blind | | | | | |
| 450 | Slip-On | | | | | |
| 451 | Welding Neck | | | | | |
| PRICES ON APPLICATION | | | | | | |

150 Lb. M.S.S. Flanges
Type 316 Stainless Steel

| | | | | | | |
|------------------------------|--------------|-----------|-----------|-----------|--------------|-----------|
| | | | | | | |
| | Threaded | Reducing | Blind | Slip-On | Welding Neck | Lap Joint |
| Part Number | 08 | 12 | 16 | 20 | 24 | 32 |
| 6S | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" |
| 635 | Threaded | | | | | |
| | Reducing | | | | | |
| 636 | Blind | | | | | |
| 650 | Slip-On | | | | | |
| 651 | Welding Neck | | | | | |
| 652 | Lap Joint | | | | | |
| PRICES ON APPLICATION | | | | | | |

150 Lb. M.S.S. Flanges
Type 316 Stainless Steel

| | | | | | | |
|------------------------------|--------------|-----------|-----------|-----------|--------------|-----------|
| | | | | | | |
| | Threaded | Reducing | Blind | Slip-On | Welding Neck | |
| Part Number | 40 | 48 | 64 | 80 | 96 | 97 |
| 6S | 2 1/2" | 3" | 4" | 5" | 6" | 8" |
| 635 | Threaded | | | | | |
| | Reducing | | | | | |
| 636 | Blind | | | | | |
| 650 | Slip-On | | | | | |
| 651 | Welding Neck | | | | | |
| PRICES ON APPLICATION | | | | | | |

Threaded Stainless Steel Nipples Mamelons En Acier Inoxydables Filetes
Type 304, 150 Lbs. / Genre 304, 150 Lbs.

| 4S | pipe size | 000 close | 015 1 1/2" | 020 2" | 025 2 1/2" | 030 3" | 035 3 1/2" | 040 4" | 045 4 1/2" | 050 5" | 055 5 1/2" | 060 6" |
|----|-----------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|
| 02 | 1/8" | 3/4" | | | | | | | | | | |
| 04 | 1/4" | 7/8" | | | | | | | | | | |
| 06 | 3/8" | 1" | | | | | | | | | | |
| 08 | 1/2" | 1 1/8" | | | | | | | | | | |
| 12 | 3/4" | 1 3/8" | | | | | | | | | | |
| 16 | 1" | 1 1/2" | | | | | | | | | | |
| 20 | 1 1/4" | 1 5/8" | | | | | | | | | | |
| 24 | 1 1/2" | 1 3/4" | | | | | | | | | | |
| 32 | 2" | 2" | | | | | | | | | | |
| 40 | 2 1/2" | 2 1/2" | | | | | | | | | | |
| 48 | 3" | 2 5/8" | | | | | | | | | | |
| 64 | 4" | 2 7/8" | | | | | | | | | | |

PRICES ON APPLICATION

Threaded Stainless Steel Nipples Mamelons En Acier Inoxydables Filetes
Type 304, 150 Lbs. / Genre 304, 150 Lbs.

| 4S | pipe size | 070 7" | 080 8" | 090 9" | 100 10" | 110 11" | 120 12" |
|----|-----------|-----------|-----------|-----------|------------|------------|------------|
| 02 | 1/8" | | | | | | |
| 04 | 1/4" | | | | | | |
| 06 | 3/8" | | | | | | |
| 08 | 1/2" | | | | | | |
| 12 | 3/4" | | | | | | |
| 16 | 1" | | | | | | |
| 20 | 1 1/4" | | | | | | |
| 24 | 1 1/2" | | | | | | |
| 32 | 2" | | | | | | |
| 40 | 2 1/2" | | | | | | |
| 48 | 3" | | | | | | |
| 64 | 4" | | | | | | |

PRICES ON APPLICATION

Threaded Stainless Steel Nipples Mamelons En Acier Inoxydables Filetes
Type 316, 150 Lbs. / Genre 316, 150 Lbs.

| 6S | pipe size | 000 close | 015 1 1/2" | 020 2" | 025 2 1/2" | 030 3" | 035 3 1/2" | 040 4" | 045 4 1/2" | 050 5" | 055 5 1/2" | 060 6" |
|----|-----------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|---------------|-----------|
| 02 | 1/8" | 3/4" | | | | | | | | | | |
| 04 | 1/4" | 7/8" | | | | | | | | | | |
| 06 | 3/8" | 1" | | | | | | | | | | |
| 08 | 1/2" | 1 1/8" | | | | | | | | | | |
| 12 | 3/4" | 1 3/8" | | | | | | | | | | |
| 16 | 1" | 1 1/2" | | | | | | | | | | |
| 20 | 1 1/4" | 1 5/8" | | | | | | | | | | |
| 24 | 1 1/2" | 1 3/4" | | | | | | | | | | |
| 32 | 2" | 2" | | | | | | | | | | |
| 40 | 2 1/2" | 2 1/2" | | | | | | | | | | |
| 48 | 3" | 2 5/8" | | | | | | | | | | |
| 64 | 4" | 2 7/8" | | | | | | | | | | |

PRICES ON APPLICATION

Threaded Stainless Steel Nipples Mamelons En Acier Inoxydables Filetes
Type 316, 150 Lbs. / Genre 316, 150 Lbs.

| 6S | pipe size | 070 7" | 080 8" | 090 9" | 100 10" | 110 11" | 120 12" |
|----|-----------|-----------|-----------|-----------|------------|------------|------------|
| 02 | 1/8" | | | | | | |
| 04 | 1/4" | | | | | | |
| 06 | 3/8" | | | | | | |
| 08 | 1/2" | | | | | | |
| 12 | 3/4" | | | | | | |
| 16 | 1" | | | | | | |
| 20 | 1 1/4" | | | | | | |
| 24 | 1 1/2" | | | | | | |
| 32 | 2" | | | | | | |
| 40 | 2 1/2" | | | | | | |
| 48 | 3" | | | | | | |
| 64 | 4" | | | | | | |

PRICES ON APPLICATION

Nipple Weight Chart
For 304-40 and 316-40 Stainless Steel Nipples

| Approximate Weight per 100 pieces | | | | | | | | | | | | |
|-----------------------------------|-----------------|-------|--------|-----|--------|------|--------|------|--------|------|--------|------|
| Dia | Length of close | Close | 1 1/2" | 2" | 2 1/2" | 3" | 3 1/2" | 4" | 4 1/2" | 5" | 5 1/2" | 6" |
| 1/8" | 3/4" | 1# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
| 1/4" | 7/8" | 2# | 4# | 6# | 8# | 10# | 11# | 13# | 14# | 16# | 19# | 21# |
| 3/8" | 1" | 4# | 6# | 8# | 10# | 12# | 15# | 17# | 20# | 22# | 24# | 27# |
| 1/2" | 1 1/8" | 5# | 9# | 12# | 16# | 19# | 23# | 26# | 29# | 32# | 34# | 40# |
| 3/4" | 1 3/8" | 10# | 11# | 16# | 20# | 23# | 28# | 33# | 37# | 41# | 47# | 50# |
| 1" | 1 1/2" | 14# | | 22# | 28# | 34# | 41# | 47# | 55# | 60# | 66# | 73# |
| 1 1/4" | 1 5/8" | 21# | | 28# | 39# | 51# | 62# | 69# | 82# | 90# | 97# | 114# |
| 1 1/2" | 1 3/4" | 27# | | 35# | 43# | 53# | 68# | 82# | 89# | 97# | 113# | 121# |
| 2" | 2" | 44# | | | 62# | 73# | 88# | 104# | 121# | 141# | 151# | 170# |
| 2 1/2" | 2 1/2" | 78# | | | | 104# | 133# | 153# | 185# | 213# | 227# | 239# |
| 3" | 2 5/8" | 112# | | | | 140# | 169# | 186# | 225# | 259# | 293# | 348# |
| 4" | 2 7/8" | 176# | | | | | | 295# | 340# | 360# | 400# | 463# |

BRYMER

INDUSTRIES INC.

37 Racine Road, Unit 1, Toronto, Ontario M9W 2Z4

Telephone: 1-800-461-2769

Fax: (416) 740-4484

Website: www.brymerbrass.com

BRYMER SALES REPRESENTATIVES

BRITISH COLUMBIA

Brymer Industries Inc.

37 Racine Road, Unit 1, Toronto, ON M9W 2Z4

Tel: 1-800-461-2769 Fax: (416) 740-4484

Bruce Brymer – bruceb@brymerbrass.com

MANITOBA

Brymer Industries Inc.

37 Racine Road, Unit 1, Toronto, ON M9W 2Z4

Tel: 1-800-461-2769 Fax: (416) 740-4484

Linda Porter – lindap@brymerbrass.com

ONTARIO

Brymer Industries Inc.

37 Racine Road, Unit 1, Toronto, ON M9W 2Z4

Tel: 1-800-461-2769 Fax: (416) 740-4484

Bruce Brymer – bruceb@brymerbrass.com

Linda Porter – lindap@brymerbrass.com

ALBERTA

Brymer Industries Inc.

37 Racine Road, Unit 1, Toronto, ON M9W 2Z4

Tel: 1-800-461-2769 Fax: (416) 740-4484

Linda Porter – lindap@brymerbrass.com

NORTHERN ONTARIO

Laurentian Sales

346-2nd Ave. E., North Bay, ON P1B 1L6

Tel: (705) 476-1142 Fax: (705) 494-8068

Mike Guerin

QUEBEC

Vistaqua Inc.

9805 Henri Bourassa E., Montreal, QUE H1C 1G5

Tel: (514) 648-4646 Fax: (514) 648-8509

Rosario Crapazano – info@vistaqua.com

or support@vistaqua.com

SOUTH WESTERN ONTARIO

Mech - Tech Marketing

454 Commissioners Rd. E., London, ON N6C 2T7

Tel: (519) 680-3174 Fax: (519) 680-2055

Phil Lewis or George English –

plewis@odyssey.on.ca

ATLANTIC PROVINCES

JBM Sales

50 Roderick St., New Glasgow, NS B2H 3Y2

Cell: (902) 456-0174

Tel: (902) 752-1886 Fax: (902) 755-3485

Jamie Bergman – jbmssales@eastlink.ca

SASKATCHEWAN

Sterling Marketing

7323 - 6th Avenue, Regina, SK S4T 0P3

Tel: (306) 790-8900 Fax: (306) 790-8901

Dave Gottschall – Sterling.marketing@sasktel.net